Author-Title Index

Achmad L., Lamers H.J.G.L.M., Pasquini L.: Radiation driven wind models for A, F and G supergiants **320**, 196
Acton L.W., see Benz A.O., et al. **320**, 993
Agrawal P.C., see Paul B., et al. **320**, L37
Aharonian F., see Bradbury S.M., et al. **320**, L5
Akhperjanian A.G., see Bradbury S.M., et al. **320**, L5
Alcalá J.M., see Wichmann R., et al. **320**, 185
Alcolea J., see Bujarrabal V., et al. **320**, 540
Alksnis O., see Začs L., et al. **320**, 1016 ***(122**, 31)*
Alloin D., see Marco O., et al. **320**, 399
Alvarez M., see Handler G., et al. **320**, 125
Alves J.F., see Yun J.L., et al. **320**, 167
Antov A., see Kraicheva Z., et al. **320**, 1018 ***(122**, 123)*
Aoki W., see Tsuji T., et al. **320**, L1
Arimoto N., see Kodama T. **320**, 41
Arnould M., see Meynet G., et al. **320**, 460
Aurass H., see Klein K.-L., et al. **320**, 612
Babion J., see Boehnhardt H., et al. **320**, 642
Bade N., see Wisotzki L. **320**, 395
Baier F.W., see Lima Neto G.B. **320**, 717
Barrio J.A., see Bradbury S.M., et al. **320**, L5
Bartlett J.G., see Oukbir J., et al. **320**, 365
Baschek B., Grüber C., von Waldenfels W., Wehrse R.: Radiation hydrodynamics with many spectral lines. Analytical expressions for a differentially moving slab **320**, 920
Bastian T.S., see Benz A.O., et al. **320**, 993
Bautista M.A.: Atomic data from the Iron Project. XX. Photoionization cross sections and oscillator strengths for Fe I **320**, 1019 ***(122**, 167)*
Beck R., see Niklas S. **320**, 54
Beglarian A.S., see Bradbury S.M., et al. **320**, L5
Benz A.O., Krucker S., Acton L.W., Bastian T.S.: Fine structure of the X-ray and radio emissions of the quiet solar corona **320**, 993
Berghmans D., see Ruderman M.S., et al. **320**, 305
Berrington K.A., see Pelan J. **320**, 1019 ***(122**, 177)*
Bersier D., Burki G., Kurucz R.L.: Fundamental parameters of Cepheids. IV. Radii and luminosities **320**, 228
Beteta J.J.G., see Bradbury S.M., et al. **320**, L5
Beuermann K., see Schwope A.D., et al. **320**, 181
Beust H., Corporon P., Siess L., Forestini M., Lagrange A.-M.: Dynamics and evolutionary status of the young triple stellar system, TY Coronae Austinae **320**, 478
Beuzit J.L., see Marco O., et al. **320**, 399
Bhatt B.C., see Pandey A.K., et al. **320**, 1018 ***(122**, 111)*
Bikmaev I.F., see Začs L., et al. **320**, 1016 ***(122**, 31)*
Birch P.V., see Handler G., et al. **320**, 125
Birk G.T., see Zimmer F., et al. **320**, 746
Blancard C., see Cornille M., et al. **320**, 333
Blanchard A., see Oukbir J., et al. **320**, 365
Boehnhardt H., Babion J., West R.M.: An optimized detection technique for faint moving objects on a star-rich background. A search for the nucleus of comet 46 P/Wirtanen **320**, 642
Bohlender D.A., see Wade G.A., et al. **320**, 172
Bomans D.J., see Weis K., et al. **320**, 568
Borissova J., see Markov H., et al. **320**, 1020 ***(122**, 193)*
Bradbury S.M., Deckers T., Petry D., Konopelko A., Aharonian F., Akhperjanian A.G., Barrio J.A., Beglarian A.S., Beteta J.J.G., Contreras J.L., Cortina J., Daum A., Feigl E., Fernandez J., Fonseca V., Fraß A., Funk B., Gonzalez J.C., Haustein V., Heinzelmann G., Hemberger M., Hermann G., Hess M., Heusler A., Holl I., Hofmann W., Horns D., Kankanian R., Kirstein O., Köhler C., Kranich D., Krawczynski H., Kornmayer H., Lampeitl H., Lindner A., Lorenz E., Magnussen N., Meyer H., Mirzoyan R., Möller H., Moralejo A., Padilla L., Panter M., Plaga R., Prahl J., Prosch C., Pühlhofer G., Rauterberg G., Rhode W., Sahakian V., Samorski M., Sanchez J.A., Schmele D., Stamm W., Ulrich M., Völk H.J., Westerhoff S., Wiebel-Sooth B., Wiedner C.A., Willmer M., Wirth H.: Detection of γ-rays above 1.5 TeV from Mkn 501 **320**, L5
Bradley B.O., see Kandrup H.E., et al. **320**, 65
Brand J., see Massi F., et al. **320**, 972
Bratschi P., see Mermilliod J.-C., et al. **320**, 74
Breger M., see Handler G., et al. **320**, 125
Brinkmann W., see Schartel N., et al. **320**, 421
Brown D.N., see Wade G.A., et al. **320**, 172
Brown W.A., see Cornille M., et al. **320**, 333
Buchert Th., Ehlers J.: Averaging inhomogeneous Newtonian cosmologies **320**, 1
Bujarrabal V., Alcolea J., Neri R., Grewing M.: The mass and temperature distribution in the protoplanetary nebula M 1–92: ^{13}CO interferometric observations **320**, 540
Buonanno R., see Ferraro F.R., et al. **320**, 757
Burbidge G., Hoyle F., Schneider P.: Very close pairs of quasi-stellar objects **320**, 8
Burki G., see Bersier D., et al. **320**, 228
Busarello G., Capaccioli M., Capozziello S., Longo G., Puddu E.: The relation between the virial theorem and the fundamental plane of elliptical galaxies **320**, 415
Cacciari C., see Ferraro F.R., et al. **320**, 757
Caloi V., D'Antona F., Mazzitelli I.: The distance scale to globular clusters through new horizontal branch models **320**, 823
Campana S.: ROSAT observations of A 0538–66 during quiescence **320**, 840
Campana S., Mereghetti S., Sidoli L.: Is RX J1856.5–3754 an old neutron star? **320**, 783

Canalle J.B.G., Opher R.: An accretion column with a central hole in DQ Herculis binaries **320**, 469
Cannon R.D., see Sagar R. **320**, 1016 *(**122**, 9)*
Capaccioli M., see Busarello G., et al. **320**, 415
Capozziello S., see Busarello G., et al. **320**, 415
Carretta E., see Ferraro F.R., et al. **320**, 757
Casali M.M., see Horrobin M.J., et al. **320**, L41
Casini R., Landi Degl'Innocenti E.: Theoretical polarization profiles of optically-thick hydrogen lines from slabs in the presence of electric and magnetic fields **320**, 1019 *(**122**, 149)*
Catalano S., see Frasca A., et al. **320**, 101
Chalov S.V., Fahr H.J., Izmodenov V.: Spectra of energized pick-up ions upstream of the two-dimensional heliospheric termination shock. II. Acceleration by Alfvénic and by large-scale solar wind turbulences **320**, 659
Chapman J.M., see Sevenster M.N., et al. **320**, 1017 *(**122**, 79)*
Chu Y.-H., see Weis K., et al. **320**, 568
Chuvaev K.K., see Sergeev S.G., et al. **320**, 405
Ciaravella A., Maggio A., Peres G.: Loop modeling of coronal X-ray spectra. III. Fitting loop spectra with one- and two-component thermal models **320**, 945
Ciardullo R., see Handler G., et al. **320**, 125
Contreras J.L., see Bradbury S.M., et al. **320**, L5
Cornille M., Dubau J., Mason H.E., Blancard C., Brown W.A.: UV and soft X-ray lines from Fe XVI observed in solar and stellar spectra **320**, 333
Corporon P., see Beust H., et al. **320**, 478
Corsi C.E., see Ferraro F.R., et al. **320**, 757
Cortina J., see Bradbury S.M., et al. **320**, L5
Costero R., see Handler G., et al. **320**, 125
Coupinot G., see Roudier Th., et al. **320**, 605
Covino E., Palazzi E., Penprase B.E., Schwarz H.E., Terranegra L.: Optical polarimetry, high-resolution spectroscopy and IR analysis of the Chamaeleon I dark cloud **320**, 1017 *(**122**, 95)*
Covino E., see Wichmann R., et al. **320**, 185
Crézé M., see Haywood M., et al. **320**, 428
Crézé M., see Haywood M., et al. **320**, 440
Crifo F., Vidal-Madjar A., Lallement R., Ferlet R., Gerbaldi M.: β Pictoris revisited by Hipparcos. Star properties **320**, L29
Crowther P.A., Smith L.J.: Fundamental parameters of Wolf–Rayet stars. VI. Large Magellanic Cloud WNL stars **320**, 500
Cutispoto G., Kürster M., Messina S., Rodonò M., Tagliaferri G.: Discovery of two short-period eclipsing binaries with active components **320**, 586
Cutispoto G., see Kürster M., et al. **320**, 831
Dahlem M., Petr M.G., Lehnert M.D., Heckmann T.M., Ehle M.: Evidence for a New "Superwind" Galaxy – NGC 4666 **320**, 731
D'Antona F., see Caloi V., et al. **320**, 823
Daum A., see Bradbury S.M., et al. **320**, L5
David M., see Vrancken M., et al. **320**, 878
De Medeiros J.R., see Lèbre A. **320**, 845
Deckers T., see Bradbury S.M., et al. **320**, L5
Deguchi S., see Kasuga T., et al. **320**, 575
Delfosse X., Kahane C., Forveille T.: Superwind in evolved OH/IR stars **320**, 249
Denissenkov P.A., Weiss A., Wagenhuber J.: Could intermediate-mass AGB stars produce star-to-star abundance variations in globular-cluster red giants? **320**, 115
Dennerl K., see Kürster M., et al. **320**, 831
Despringre V., Fraix-Burnet D.: Two-fluid model for VLBI jets. I. Homogeneous and stationary synchrotron emission simulations **320**, 26
de Grijs R., Peletier R.F.: The shape of galaxy disks: how the scale height increases with galactocentric distance **320**, L21
de Vicente P., Martín-Pintado J., Wilson T.L.: A hot ring in the Sagittarius B2 molecular cloud **320**, 957
Dimitrijević M.S., Sahal-Bréchot S.: Stark broadening of Ba I and Ba II spectral lines **320**, 1019 *(**122**, 163)*
Drechsel H., see Mayer P., et al. **320**, 109
Dubau J., see Cornille M., et al. **320**, 333
Durgapal A.K., see Pandey A.K., et al. **320**, 1018 *(**122**, 111)*
Duschl W.J., see Weis K., et al. **320**, 568
Eckstein B.L., see Kandrup H.E., et al. **320**, 65
Egger R., see Kneissl R., et al. **320**, 685
Egger R., see Soltan A.M., et al. **320**, 705
Ehle M., see Dahlem M., et al. **320**, 731
Eiroa C., see Horrobin M.J., et al. **320**, L41
Elkin V.G.: *Erratum (Letter):* Magnetic fields in hot subdwarfs **320**, 681
Elkin V.G., see Wade G.A., et al. **320**, 172
Fahr H.J., see Chalov S.V., et al. **320**, 659
Fang C., see Li X.Q., et al. **320**, 300
Fárník F., Hudson H., Watanabe T.: *Yohkoh* observations of flares with flat hard X-ray spectra **320**, 620
Feigl E., see Bradbury S.M., et al. **320**, L5
Feldmeier A., Kudritzki R.-P., Palsa R., Pauldrach A.W.A., Puls J.: The X-ray emission from shock cooling zones in O star winds **320**, 899
Felli M., see Massi F., et al. **320**, 972
Felli M., Testi L., Valdettaro R., Wang J.-J.: Star formation in the S 235 A–B complex **320**, 594
Ferlet R., see Crifo F., et al. **320**, L29
Fernandez J., see Bradbury S.M., et al. **320**, L5
Fernley J., see Solano E. **320**, 1018 *(**122**, 131)*
Ferraro F.R., Carretta E., Corsi C.E., Fusi Pecci F., Cacciari C., Buonanno R., Paltrinieri B., Hamilton D.: The stellar population of the globular cluster M 3. II. CCD photometry of additional 10,000 stars **320**, 757
Ferraz-Mello S., see Nesvorný D. **320**, 672
Fichtel C.E., see Mücke A., et al. **320**, 33
Fink H.H., see Schartel N., et al. **320**, 421
Fink H.H., see Schartel N., et al. **320**, 696
Foglizzo T., Ruffert M.: An analytic study of Bondi–Hoyle–Lyttleton accretion. I. Stationary flows **320**, 342
Fonseca V., see Bradbury S.M., et al. **320**, L5
Forestini M., see Beust H., et al. **320**, 478
Forveille T., see Delfosse X., et al. **320**, 249
Fouqué P., Gieren W.P.: An improved calibration of Cepheid visual and infrared surface brightness relations from accurate angular diameter measurements of cool giants and supergiants **320**, 799
Fraix-Burnet D., see Despringre V. **320**, 26
Frasca A., Catalano S., Mantovani D.: Hα emission in the chromospherically active binary σ_2 Coronae Borealis (TZ CrB) **320**, 101
Fraß A., see Bradbury S.M., et al. **320**, L5
Frémat Y., Houziaux L.: Elemental abundances in the Hg–Mn star γ Corvi **320**, 580
Froeschlé Ch., see Jopek T.J. **320**, 631
Fullerton A.W., see Kaufer A., et al. **320**, 273
Funk B., see Bradbury S.M., et al. **320**, L5
Fusi Pecci F., see Ferraro F.R., et al. **320**, 757

Gadun A.S., Hanslmeier A., Pikalov K.N.: Bisectors and line-parameter variations over granular and intergranular regions in 2-D artificial granulation **320**, 1001
Gäng Th., see Kaufer A., et al. **320**, 273
Gail H.-P., see Köhler T.M., et al. **320**, 553
Gary D.E., see Komm R.W., et al. **320**, 1020 ***(122, 181)***
Gautschy A.: A further look into the pulsating PG 1159 stars **320**, 811
Genkov V., see Kraicheva Z., et al. **320**, 1018 ***(122, 123)***
Gerbaldi M., see Crifo F., et al. **320**, L29
Gerth E., see Scholz G., et al. **320**, 791
Gieren W.P., see Fouqué P. **320**, 799
Golev V., see Markov H., et al. **320**, 1020 ***(122, 193)***
Gonzalez J.C., see Bradbury S.M., et al. **320**, L5
Goossens M., see Ruderman M.S., et al. **320**, 305
Gredel R.: Interstellar CH^+ in southern OB associations **320**, 929
Grewing M., see Bujarrabal V., et al. **320**, 540
Grüber C., see Baschek B., et al. **320**, 920
Guerrero M.A., see Handler G., et al. **320**, 125
Güsten R., see Wiesemeyer H., et al. **320**, 287
Gummersbach C.A., see Kaufer A., et al. **320**, 273
Habing H.J., see Sevenster M.N., et al. **320**, 1017 ***(122, 79)***
Hamann W.-R., see Koesterke L. **320**, 91
Hamilton D., see Ferraro F.R., et al. **320**, 757
Handler G., Méndez R.H., Medupe R., Costero R., Birch P.V., Alvarez M., Sullivan D.J., Kurtz D.W., Herrero A., Guerrero M.A., Ciardullo R., Breger M.: Variable central stars of young planetary nebulae. I. Photometric multisite observations of IC 418 **320**, 125
Hanslmeier A., see Gadun A.S., et al. **320**, 1001
Hanuschik R.W., see Hummel W. **320**, 852
Hara H., see Koutchmy S., et al. **320**, L33
Harmanec P., see Scholz G., et al. **320**, 791
Hartmann R.C., see Mücke A., et al. **320**, 33
Hasinger G., see Kneissl R., et al. **320**, 685
Hasinger G., see Schartel N., et al. **320**, 696
Hasinger G., see Soltan A.M., et al. **320**, 705
Haustein V., see Bradbury S.M., et al. **320**, L5
Haywood M., Robin A.C., Crézé M.: The evolution of the Milky Way disc. II. Constraints from star counts at the galactic poles **320**, 440
Haywood M., Robin A.C., Crézé M.: The evolution of the Milky Way disc. I. Vertical structure and local constraints **320**, 428
Heckmann T.M., see Dahlem M., et al. **320**, 731
Heinzelmann G., see Bradbury S.M., et al. **320**, L5
Hemberger M., see Bradbury S.M., et al. **320**, L5
Hempel M., see Holweger H., et al. **320**, L49
Hensberge H., see Vrancken M., et al. **320**, 878
Hermann G., see Bradbury S.M., et al. **320**, L5
Herrera B., Sanromà M.: The morphology-density relationship for clusters of galaxies revisited **320**, 13
Herrero A., see Handler G., et al. **320**, 125
Hertzsch J.-M., Scholl H., Spahn F., Katzorke I.: Simulation of collisions in planetary rings **320**, 319
Hess M., see Bradbury S.M., et al. **320**, L5
Heusler A., see Bradbury S.M., et al. **320**, L5
Hildebrandt G., see Scholz G., et al. **320**, 791
Hofmann W., see Bradbury S.M., et al. **320**, L5
Hofner P., see Wyrowski F., et al. **320**, L17
Holl I., see Bradbury S.M., et al. **320**, L5
Holweger H., Hempel M., van Thiel T., Kaufer A.: The surface composition of Beta Pictoris **320**, L49
Horns D., see Bradbury S.M., et al. **320**, L5
Horrobin M.J., Casali M.M., Eiroa C.: Variability and a vanishing YSO in the Serpens cloud core **320**, L41
Houziaux L., see Frémat Y. **320**, 580
Hoyle F., see Burbidge G., et al. **320**, 8
Hu F.M., see Li X.Q., et al. **320**, 300
Hudson H., see Fárník F., et al. **320**, 620
Hummel W., Hanuschik R.W.: Line formation in Be star envelopes. II. Disk oscillations **320**, 852
Hurford G.J., see Komm R.W., et al. **320**, 1020 ***(122, 181)***
Iliev L., see Kraicheva Z., et al. **320**, 1018 ***(122, 123)***
Izmodenov V., see Chalov S.V., et al. **320**, 659
Jankovics I., see Kaufer A., et al. **320**, 273
Jasniewicz G., see Thévenin F. **320**, 913
Joner M.D., see Weis K., et al. **320**, 568
Jopek T.J., Froeschlé Cl.: A stream search among 502 TV meteor orbits. An objective approach **320**, 631
Kaastra J.S., see Mewe R., et al. **320**, 147
Kähler H.: The energy balance in contact binaries **320**, 787
Kahane C., see Delfosse X., et al. **320**, 249
Kálmán B., see Klein K.-L., et al. **320**, 612
Kaluzny J.: CCD photometry of variable stars in the field of the globular cluster NGC 6397 **320**, 1016 ***(122, 1)***
Kanbach G., see Mücke A., et al. **320**, 33
Kandrup H.E., Eckstein B.L., Bradley B.O.: Chaos, complexity, and short time Lyapunov exponents: two alternative characterisations of chaotic orbit segments **320**, 65
Kankanian R., see Bradbury S.M., et al. **320**, L5
Kasturirangan K., see Paul B., et al. **320**, L37
Kasuga T., Yamamura I., Deguchi S.: CS chemistry in the bipolar nebula CRL 2688 **320**, 575
Katzorke I., see Hertzsch J.-M., et al. **320**, 319
Kaufer A., see Holweger H., et al. **320**, L49
Kaufer A., Stahl O., Wolf B., Fullerton A.W., Gäng Th., Gummersbach C.A., Jankovics I., Kovács J., Mandel H., Peitz J., Rivinius Th., Szeifert Th.: Long-term spectroscopic monitoring of Ba-type supergiants. III. Variability of photospheric lines **320**, 273
Khechinashvili D.G., Melikidze G.I.: A model for the binary pulsar radio eclipse **320**, L45
Killeen N.E.B., see Sevenster M.N., et al. **320**, 1017 ***(122, 79)***
Kirk J.G., see Mastichiadis A. **320**, 19
Kirstein O., see Bradbury S.M., et al. **320**, L5
Klein K.-L., Aurass H., Soru-Escaut I., Kálmán B.: Electron acceleration sites in a large-scale coronal structure **320**, 612
Kneissl R., Egger R., Hasinger G., Soltan A.M., Trümper J.: Search for correlations between COBE DMR and ROSAT PSPC all-sky survey data **320**, 685
Kniffen D.A., see Mücke A., et al. **320**, 33
Kodama T., Arimoto N.: Origin of the colour-magnitude relation of elliptical galaxies **320**, 41
Köhler C., see Bradbury S.M., et al. **320**, L5
Köhler T.M., Gail H.-P., Sedlmayr E.: MgO dust nucleation in M-Stars: calculation of cluster properties and nucleation rates **320**, 553
Koester D., Provencal J., Shipman H.L.: Metals in the variable DA G29–38 **320**, L57
Koesterke L., Hamann W.-R.: Spectral analyses of central stars of planetary nebulae of early WC-type. NGC 6751 and Sanduleak 3 **320**, 91
Kolb U., see Stehle R., et al. **320**, 136
Kolev D., see Tomov T. **320**, 1017 ***(122, 43)***

Komm R.W., Hurford G.J., Gary D.E.: A spatial and spectral maximum entropy methods as applied to OVRO solar data **320**, 1020 ***(122, 181)***
Komossa S., see Schartel N., et al. **320**, 421
Konopelko A., see Bradbury S.M., et al. **320**, L5
Kornmayer H., see Bradbury S.M., et al. **320**, L5
Koutchmy S., Hara H., Suematsu Y., Reardon K.: SXR Coronal Flashes **320**, L33
Kovács J., see Kaufer A., et al. **320**, 273
Kraicheva Z., Stanishev V., Iliev L., Antov A., Genkov V.: TT Arietis: Photometric variability from 1985 to 1994 **320**, 1018 ***(122, 123)***
Kranich D., see Bradbury S.M., et al. **320**, L5
Krautter J., see Wichmann R., et al. **320**, 185
Krawczynski H., see Bradbury S.M., et al. **320**, L5
Krucker S., see Benz A.O., et al. **320**, 993
Kudritzki R.-P., see Feldmeier A., et al. **320**, 899
Künzli M., North P., Kurucz R.L., Nicolet B.: A calibration of Geneva photometry for B to G stars in terms of $T_{\rm eff}$, log g and [M/H] **320**, 1017 ***(122, 51)***
Kürster M., Schmitt J.H.M.M., Cutispoto G., Dennerl K.: ROSAT and AB Doradus: the first five years **320**, 831
Kürster M., see Cutispoto G., et al. **320**, 586
Kurtz D.W., see Handler G., et al. **320**, 125
Kurucz R.L., see Bersier D., et al. **320**, 228
Kurucz R.L., see Künzli M., et al. **320**, 1017 ***(122, 51)***
Lafon M., see Roudier Th., et al. **320**, 605
Lagrange A.-M., see Beust H., et al. **320**, 478
Lallement R., see Crifo F., et al. **320**, L29
Lamers H.J.G.L.M., see Achmad L., et al. **320**, 196
Lampeitl H., see Bradbury S.M., et al. **320**, L5
Landi Degl'Innocenti E., see Casini R. **320**, 1019 ***(122, 149)***
Landstreet J.D., see Wade G.A., et al. **320**, 172
Lanzafame A.C., see Leone F. **320**, 893
Lawler J.E., see Mullman K.L., et al. **320**, 1019 ***(122, 157)***
Lèbre A., De Medeiros J.R.: The Hα behavior in bright giant stars **320**, 845
Lehmann H., see Scholz G., et al. **320**, 791
Lehmann I., Scholz R.-D.: Tidal radii of the globular clusters M 5, M 12, M 13, M 15, M 53, NGC 5053 and NGC 5466 from automated star counts **320**, 776
Lehnert M.D., see Dahlem M., et al. **320**, 731
Leone F., Lanzafame A.C.: Behaviour of the He I 587.6, 667.8, 706.5 and 728.1 nm lines in B-type stars. On the helium stratification in the atmosphere of magnetic helium peculiar stars **320**, 893
Leone F., Manfrè M.: The importance of a correct abundance assumption in determining the effective temperature and gravity of stars. A spectroscopic study of the helium weak stars HD 5737, HD 175362 and HD 202671 **320**, 257
Lesch H., see Zimmer F., et al. **320**, 746
Li X.Q., Song M.T., Hu F.M., Fang C.: Magnetic reconnection mechanism for Type II white-light flares **320**, 300
Lima Neto G.B., Baier F.W.: Evolution and dynamics of poor clusters of galaxies **320**, 717
Lindner A., see Bradbury S.M., et al. **320**, L5
Lindqvist M., see Sevenster M.N., et al. **320**, 1017 ***(122, 79)***
Longo G., see Busarello G., et al. **320**, 415
Lorenz E., see Bradbury S.M., et al. **320**, L5
Lorenz R., see Mayer P., et al. **320**, 109
Madej J.: **(RN)** Analytical fits to theoretical spectra of X-ray burst sources: a hint on the surface gravity **320**, 177
Maggio A., see Ciaravella A., et al. **320**, 945
Magnussen N., see Bradbury S.M., et al. **320**, L5
Mahra H.S., see Pandey A.K., et al. **320**, 1018 ***(122, 111)***
Malherbe J.M., see Roudier Th., et al. **320**, 605
Malkov O.Yu., Piskunov A.E., Shpil'kina D.A.: Mass-luminosity relation of low mass stars **320**, 79
Malkov Yu.F., see Sergeev S.G., et al. **320**, 405
Maltagliati S., see Testi L., et al. **320**, 159
Mandel H., see Kaufer A., et al. **320**, 273
Manfrè M., see Leone F. **320**, 257
Manfroid J., Mathys G.: **(RN)** Variations of the Ap star HD 208217 **320**, 497
Mantovani D., see Frasca A., et al. **320**, 101
Marar T.M.K., see Paul B., et al. **320**, L37
Marco O., Alloin D., Beuzit J.L.: Positioning the near-infrared versus optical emission peaks in NGC 1068 with adaptive optics **320**, 399
Markov H., Valtchev T., Borissova J., Golev V.: An algorithm to "clean" close stellar companions **320**, 1020 ***(122, 193)***
Martí J., see Paredes J.M., et al. **320**, L25
Martín-Pintado J., see de Vicente P., et al. **320**, 957
Mason H.E., see Cornille M., et al. **320**, 333
Massi F., Brand J., Felli M.: Molecular cloud/H II region interfaces in the star forming region NGC 6357 **320**, 972
Mastichiadis A., Kirk J.G.: Variability in the synchrotron self-Compton model of blazar emission **320**, 19
Mathys G., see Manfroid J. **320**, 497
Mayer P., Lorenz R., Drechsel H.: The early-type binary KX Velorum **320**, 109
Mayer-Hasselwander H.A., see Mücke A., et al. **320**, 33
Mayor M., see Mermilliod J.-C., et al. **320**, 74
Mazzitelli I., see Caloi V., et al. **320**, 823
Medupe R., see Handler G., et al. **320**, 125
Melikidze G.I., see Khechinashvili D.G. **320**, L45
Méndez R.H., see Handler G., et al. **320**, 125
Mengel S., see Schwope A.D., et al. **320**, 181
Merck M., see Mücke A., et al. **320**, 33
Mereghetti S., see Campana S., et al. **320**, 783
Mermilliod J.-C., Bratschi P., Mayor M.: **(RN)** Investigation of the Pleiades cluster. III. Additional corona members **320**, 74
Messina S., see Cutispoto G., et al. **320**, 586
Mewe R., Kaastra J.S., van den Oord G.H.J., Vink J., Tawara Y.: ASCA and EUVE observations of II Pegasi: flaring and quiescent coronal emission **320**, 147
Meyer H., see Bradbury S.M., et al. **320**, L5
Meynet G., Arnould M., Prantzos N., Paulus G.: Contribution of Wolf–Rayet stars to the synthesis of ^{26}Al. I. The γ-ray connection **320**, 460
Micela G., Pye J., Sciortino S.: Coronal properties of nearby old disk and Halo dM stars **320**, 865
Michelson P.F., see Mücke A., et al. **320**, 33
Mirzoyan R., see Bradbury S.M., et al. **320**, L5
Möller H., see Bradbury S.M., et al. **320**, L5
Mohan V., see Pandey A.K., et al. **320**, 1018 ***(122, 111)***
Moralejo A., see Bradbury S.M., et al. **320**, L5
Moreira M.C., see Yun J.L., et al. **320**, 167
Mücke A., Pohl M., Reich P., Reich W., Schlickeiser R., Fichtel C.E., Hartmann R.C., Kanbach G., Kniffen D.A., Mayer-Hasselwander H.A., Merck M., Michelson P.F., von Montigny C., Willis T.D.: On the correlation between radio and gamma ray luminosities of active galactic nuclei **320**, 33
Müller E., see Zwerger T. **320**, 209
Muller R., see Roudier Th., et al. **320**, 605
Mullman K.L., Sakai M., Lawler J.E.: Absolute transition probabilities for the $a^6D \rightarrow y^6P^\circ$ multiplet (#8) of FE II **320**, 1019 ***(122, 157)***
Musaev F.A., see Začs L., et al. **320**, 1016 ***(122, 31)***
Natta A., see Testi L., et al. **320**, 159

Neri R., see Bujarrabal V., et al. **320**, 540
Nesvorný D., Ferraz-Mello S.: Chaotic diffusion in the 2/1 asteroidal resonance. An application of the frequency map analysis **320**, 672
Neuhäuser R., see Wichmann R., et al. **320**, 185
Nicolet B., see Künzli M., et al. **320**, 1017 *(**122**, 51)*
Niklas S., Beck R.: A new approach to the radio – far infrared correlation for non-calorimeter galaxies **320**, 54
North P., see Künzli M., et al. **320**, 1017 *(**122**, 51)*
November L., see Roudier Th., et al. **320**, 605
Ohnaka K., see Tsuji T., et al. **320**, L1
Opher R., see Canalle J.B.G. **320**, 469
Oreshina A.V., Somov B.V.: Plasma heating in the solar corona by reconnecting current sheet **320**, L53
Oukbir J., Bartlett J.G., Blanchard A.: X-ray galaxy clusters: constraints on models of galaxy formation **320**, 365
Padilla L., see Bradbury S.M., et al. **320**, L5
Palazzi E., see Covino E., et al. **320**, 1017 *(**122**, 95)*
Palla F., see Testi L., et al. **320**, 159
Palsa R., see Feldmeier A., et al. **320**, 899
Paltrinieri B., see Ferraro F.R., et al. **320**, 757
Pandey A.K., Durgapal A.K., Bhatt B.C., Mohan V., Mahra H.S.: Stellar contents of the open clusters Be 64 and Be 69 **320**, 1018 *(**122**, 111)*
Panter M., see Bradbury S.M., et al. **320**, L5
Paredes J.M., Martí J., Peracaula M., Ribó M.: Evidence of X-ray periodicity in LSI +61° 303 **320**, L25
Pasquini L., see Achmad L., et al. **320**, 196
Paul B., Agrawal P.C., Rao A.R., Vahia M.N., Yadav J.S., Marar T.M.K., Seetha S., Kasturirangan K.: Rapid X-ray variability of the superluminal source GRS 1915+105 **320**, L37
Paul B., Rao A.R., Singh K.P.: Torque-luminosity correlation and possible evidence for core-crust relaxation in the X-ray pulsar GX 1+4 **320**, L9
Pauldrach A.W.A., see Feldmeier A., et al. **320**, 899
Paulus G., see Meynet G., et al. **320**, 460
Peitz J., see Kaufer A., et al. **320**, 273
Pelan J., Berrington K.A.: Atomic data from the IRON Project. XXI. Electron excitation of fine-structure transitions involving the $3d^6 4s^2\ {}^5D$ ground state and the $3d^7 4s\ {}^5F$ metastable state of Fe I **320**, 1019 *(**122**, 177)*
Peletier R.F., see de Grijs R. **320**, L21
Penprase B.E., see Covino E., et al. **320**, 1017 *(**122**, 95)*
Peracaula M., see Paredes J.M., et al. **320**, L25
Peres G., see Ciaravella A., et al. **320**, 945
Petr M.G., see Dahlem M., et al. **320**, 731
Petry D., see Bradbury S.M., et al. **320**, L5
Pikalov K.N., see Gadun A.S., et al. **320**, 1001
Piskunov A.E., see Malkov O.Yu., et al. **320**, 79
Plaga R., see Bradbury S.M., et al. **320**, L5
Poedts S., see Ruderman M.S., et al. **320**, 305
Pohl M., see Mücke A., et al. **320**, 33
Ponman T.J., see Strickland D.K., et al. **320**, 378
Prahl J., see Bradbury S.M., et al. **320**, L5
Prantzos N., see Meynet G., et al. **320**, 460
Preibisch Th.: ROSAT coronal temperatures of young late type stars **320**, 525
Pronik V.I., see Sergeev S.G., et al. **320**, 405
Prosch C., see Bradbury S.M., et al. **320**, L5
Provencal J., see Koester D., et al. **320**, L57
Prusti T., see Testi L., et al. **320**, 159
Puddu E., see Busarello G., et al. **320**, 415
Pühlhofer G., see Bradbury S.M., et al. **320**, L5
Puls J., see Feldmeier A., et al. **320**, 899
Pye J., see Micela G., et al. **320**, 865
Rangarajan K.E.: Resonance line polarization in the presence of wave motion **320**, 265
Rao A.R., see Paul B., et al. **320**, L37
Rao A.R., see Paul B., et al. **320**, L9
Rapaport M., see Viateau B. **320**, 652
Rauch T.: Implication of light metals (Li-Ca) on NLTE model atmospheres of compact hot stars **320**, 237
Rauterberg G., see Bradbury S.M., et al. **320**, L5
Reardon K., see Koutchmy S., et al. **320**, L33
Reich P., see Mücke A., et al. **320**, 33
Reich W., see Mücke A., et al. **320**, 33
Rhode W., see Bradbury S.M., et al. **320**, L5
Ribó M., see Paredes J.M., et al. **320**, L25
Ritter H., see Stehle R., et al. **320**, 136
Rivinius Th., see Kaufer A., et al. **320**, 273
Robin A.C., see Haywood M., et al. **320**, 428
Robin A.C., see Haywood M., et al. **320**, 440
Rodonò M., see Cutispoto G., et al. **320**, 586
Romanyuk I.I., see Wade G.A., et al. **320**, 172
Roudier Th., Malherbe J.M., November L., Vigneau J., Coupinot G., Lafon M., Muller R.: Intergranular plumes and formation of network bright points **320**, 605
Ruderman M.S., Berghmans D., Goossens M., Poedts S.: Direct excitation of resonant torsional Alfvén waves by footpoint motions **320**, 305
Ruffert M., see Foglizzo T. **320**, 342
Sagar R., Cannon R.D.: Multicolour deep CCD photometric study of the moderately young southern open star clusters NGC 3228, NGC 4103, NGC 5662 and NGC 6087 **320**, 1016 *(**122**, 9)*
Sahakian V., see Bradbury S.M., et al. **320**, L5
Sahal-Bréchot S., see Dimitrijević M.S. **320**, 1019 *(**122**, 163)*
Sakai M., see Mullman K.L., et al. **320**, 1019 *(**122**, 157)*
Samorski M., see Bradbury S.M., et al. **320**, L5
Sanchez J.A., see Bradbury S.M., et al. **320**, L5
Sanromà M., see Herrera B. **320**, 13
Schartel N., Komossa S., Brinkmann W., Fink H.H., Trümper J., Wamsteker W.: PKS 2351–154: a high-redshift quasar with variable X-ray absorption **320**, 421
Schartel N., Schmidt M., Fink H.H., Hasinger G., Trümper J.: The Piccinotti AGN sample observed in the ROSAT All-Sky Survey **320**, 696
Schilke P., see Wyrowski F., et al. **320**, L17
Schlickeiser R., see Mücke A., et al. **320**, 33
Schmele D., see Bradbury S.M., et al. **320**, L5
Schmidt M., see Schartel N., et al. **320**, 696
Schmitt J.H.M.M., see Kürster M., et al. **320**, 831
Schmitt J.H.M.M., see Wichmann R., et al. **320**, 185
Schneider P., see Burbidge G., et al. **320**, 8
Scholl H., see Hertzsch J.-M., et al. **320**, 319
Scholz G., Lehmann H., Harmanec P., Gerth E., Hildebrandt G.: A spectroscopic study of the binary star γ Geminorum **320**, 791
Scholz R.-D., see Lehmann I. **320**, 776
Schwarz H.E., see Covino E., et al. **320**, 1017 *(**122**, 95)*
Schwope A.D., Mengel S., Beuermann K.: On the mass of the white dwarf in UZ Fornacis **320**, 181
Sciortino S., see Micela G., et al. **320**, 865
Sedlmayr E., see Köhler T.M., et al. **320**, 553
Seetha S., see Paul B., et al. **320**, L37
Sergeev S.G., Pronik V.I., Malkov Yu.F., Chuvaev K.K.: [O III] λ 5007 wing variations and changes of Fe II optical multiplets in NGC 5548 **320**, 405
Sevenster M.N., Chapman J.M., Habing H.J., Killeen N.E.B., Lindqvist M.: The ATCA/VLA OH 1612 MHz survey. I.

Observations of the Galactic bulge region **320**, 1017 ***(122, 79)***
Shipman H.L., see Koester D., et al. **320**, L57
Shpil'kina D.A., see Malkov O.Yu., et al. **320**, 79
Sidoli L., see Campana S., et al. **320**, 783
Siess L., see Beust H., et al. **320**, 478
Singh K.P., see Paul B., et al. **320**, L9
Smith L.J., see Crowther P.A. **320**, 500
Smith M.D., Suttner G., Zinnecker H.: Intermediate teeth in pulsed jets: a motivation for high-resolution observations **320**, 325
Snowden S., see Soltan A.M., et al. **320**, 705
Solano E., Fernley J.: Spectroscopic survey of δ Scuti stars. I. Rotation velocities and effective temperatures **320**, 1018 ***(122, 131)***
Soltan A.M., Hasinger G., Egger R., Snowden S., Trümper J.: The large scale structure of the soft X-ray background. II. Galaxies **320**, 705
Soltan A.M., see Kneissl R., et al. **320**, 685
Somov B.V., see Oreshina A.V. **320**, L53
Song M.T., see Li X.Q., et al. **320**, 300
Soru-Escaut I., see Klein K.-L., et al. **320**, 612
Spahn F., see Hertzsch J.-M., et al. **320**, 319
Stahl O., see Kaufer A., et al. **320**, 273
Stamm W., see Bradbury S.M., et al. **320**, L5
Stanishev V., see Kraicheva Z., et al. **320**, 1018 ***(122, 123)***
Stehle R., Kolb U., Ritter H.: Modelling Population II cataclysmic variables **320**, 136
Stevens I.R., see Strickland D.K., et al. **320**, 378
Storm J., see Yun J.L., et al. **320**, 167
Strickland D.K., Ponman T.J., Stevens I.R.: ROSAT observations of the galactic wind in M 82 **320**, 378
Suematsu Y., see Koutchmy S., et al. **320**, L33
Sullivan D.J., see Handler G., et al. **320**, 125
Suttner G., see Smith M.D., et al. **320**, 325
Syniavskii D.V., see Zharkova V.V. **320**, L13
Szeifert Th., see Kaufer A., et al. **320**, 273
Tagliaferri G., see Cutispoto G., et al. **320**, 586
Tawara Y., see Mewe R., et al. **320**, 147
Terranegra L., see Covino E., et al. **320**, 1017 ***(122, 95)***
Testi L., Palla F., Prusti T., Natta A., Maltagliati S.: A search for clustering around Herbig Ae/Be stars **320**, 159
Testi L., see Felli M., et al. **320**, 594
Thévenin F., Jasniewicz G.: Barium-rich G stars in the nuclei of the planetary nebulae Abell 35 and LoTr 5 **320**, 913
Tomov T., Kolev D.: Monitoring MWC 560 ≡ V 694 Monocerotis in 1990–1995. II. Plate spectra **320**, 1017 ***(122, 43)***
Trümper J., see Kneissl R., et al. **320**, 685
Trümper J., see Schartel N., et al. **320**, 421
Trümper J., see Schartel N., et al. **320**, 696
Trümper J., see Soltan A.M., et al. **320**, 705
Tsuji T., Ohnaka K., Aoki W., Yamamura I.: Warm molecular envelope of M giants and Miras: a new molecule forming region unmasked by the ISO SWS **320**, L1
Ulrich M., see Bradbury S.M., et al. **320**, L5
Vahia M.N., see Paul B., et al. **320**, L37
Valdettaro R., see Felli M., et al. **320**, 594
Valtchev T., see Markov H., et al. **320**, 1020 ***(122, 193)***
van den Oord G.H.J., see Mewe R., et al. **320**, 147
van Thiel T., see Holweger H., et al. **320**, L49
Verschueren W., see Vrancken M., et al. **320**, 878
Viateau B., Rapaport M.: The Bordeaux meridian observations of asteroids. First determination of the mass of (11) Parthenope **320**, 652
Vidal-Madjar A., see Crifo F., et al. **320**, L29
Vigneau J., see Roudier Th., et al. **320**, 605
Vink J., see Mewe R., et al. **320**, 147
Völk H.J., see Bradbury S.M., et al. **320**, L5
von Montigny C., see Mücke A., et al. **320**, 33
von Waldenfels W., see Baschek B., et al. **320**, 920
Vrancken M., Hensberge H., David M., Verschueren W.: Spectroscopic analysis of early-type stars in young stellar groups. I. Differential analysis of the BIV stars in NGC 2244 **320**, 878
Wade G.A., Bohlender D.A., Brown D.N., Elkin V.G., Landstreet J.D., Romanyuk I.I.: The magnetic field and helium variation of the helium-strong star HD 184927 **320**, 172
Wagenhuber J., see Denissenkov P.A., et al. **320**, 115
Walmsley C.M., see Wyrowski F., et al. **320**, L17
Wamsteker W., see Schartel N., et al. **320**, 421
Wang J.-J., see Felli M., et al. **320**, 594
Watanabe T., see Fárník F., et al. **320**, 620
Wehrse R., see Baschek B., et al. **320**, 920
Weis K., Duschl W.J., Bomans D.J., Chu Y.-H., Joner M.D.: The bipolar structure of the LBV nebula around HR Carinae **320**, 568
Weiss A., see Denissenkov P.A., et al. **320**, 115
West R.M., see Boehnhardt H., et al. **320**, 642
Westerhoff S., see Bradbury S.M., et al. **320**, L5
Wichmann R., Krautter J., Covino E., Alcalá J.M., Neuhäuser R., Schmitt J.H.M.M.: The T Tauri star population in the Lupus star forming region **320**, 185
Wiebel-Sooth B., see Bradbury S.M., et al. **320**, L5
Wiedner C.A., see Bradbury S.M., et al. **320**, L5
Wiesemeyer H., Güsten R., Wink J.E., Yorke H.W.: High resolution studies of protostellar condensations in NGC 2024 **320**, 287
Willis T.D., see Mücke A., et al. **320**, 33
Willmer M., see Bradbury S.M., et al. **320**, L5
Wilner D.J., see Wyrowski F., et al. **320**, L17
Wilson T.L., see de Vicente P., et al. **320**, 957
Wink J.E., see Wiesemeyer H., et al. **320**, 287
Wink J.E., see Wyrowski F., et al. **320**, L17
Wirth H., see Bradbury S.M., et al. **320**, L5
Wisotzki L., Bade N.: Spectroscopy of narrow emission line X-ray galaxies **320**, 395
Wolf B., see Kaufer A., et al. **320**, 273
Wyrowski F., Hofner P., Schilke P., Walmsley C.M., Wilner D.J., Wink J.E.: Millimeter interferometry towards the ultra-compact H II region W3 (OH) **320**, L17
Yadav J.S., see Paul B., et al. **320**, L37
Yamamura I., see Kasuga T., et al. **320**, 575
Yamamura I., see Tsuji T., et al. **320**, L1
Yorke H.W., see Wiesemeyer H., et al. **320**, 287
Yun J.L., Moreira M.C., Alves J.F., Storm J.: Two new T Tauri stars and a candidate FU Orionis star associated with Bok globules **320**, 167
Začs L., Musaev F.A., Bikmaev I.F., Alksnis O.: An abundance analysis of the single-lined spectroscopic binaries with barium stars-like orbital elements. I. Analysis and results **320**, 1016 ***(122, 31)***
Zharkova V.V., Syniavskii D.V.: Return current effects on hard X-ray and microwave emission produced by electron beams in solar flares **320**, L13
Zimmer F., Lesch H., Birk G.T.: Dissipation of magnetic fields in the Galactic halo **320**, 746
Zinnecker H., see Smith M.D., et al. **320**, 325
Zwerger T., Müller E.: Dynamics and gravitational wave signature of axisymmetric rotational core collapse **320**, 209